

Certificate of Analysis

Product: IPTG Dioxane Free (Isopropyl ß-D-1-thiogalactopyranoside)

	Cat. Number: ASC-1017 Lot Number: 280501 Storage Temperature: 2-8 °C	Date of manufacture: Retest Date: Molecular Weight/Formula:	1 May 2025 1 April 2030 238.30 / C ₉ H ₁₈ O ₅ S
No.	Property	Specification/Limit	Test Results
1	Form and Color	White to slightly Off-white, Crystalline Powder	White, Crystalline Powder
2	Color of Solution (5 % in water)	Colorless	Colorless
3	Solubility	Soluble in water and methanol	Complies
4	Turbidity (0.5 % in water)	0.2 NTU	max. 2.0 NTU
5	pH (5 % in water)	5.0 - 7.0	6.52
6	UV ABSORBANCE (5% w/v Sol in water) 1) at 300 nm 2) at 400 nm	Not more than 0.13 Not More than 0.06	0.057 0.018
7	Melting Range	110 °C - 114 °C	110.6 °C - 112.4 °C
8	Purity (HPLC)	> 98.0 % w/w	99.52%
9	Assay (HPLC) (Anhydrous Basis)	98.0% - 101.0% w/w	99.48%
10	1,4-Dioxane	Should be absent	Absent
11	Moisture Content by (K. Fischer)	Not more than 1.0% w/w	0.41% w/w
12	Specific Optical Rotation [alpha]D (C = 1.0% in water, 20 °C)	-34.5° to -28.5°	-31.10°
13	FT-IR Spectrum	corresponds	corresponds to reference spectrum

Note: The above results are complies with the specification.

Signature: Hass Salimi

Ausamics Pty Ltd provides this Certificate of Analysis in good faith, striving for accuracy. No warranties, express or implied, are made regarding the accuracy, completeness, or suitability of the data or material for any purpose.

User Responsibility: Users must perform their own quality control, analyze the material, and verify its fitness for use. Users are responsible for complying with all relevant laws and regulations.

Liability: Ausamics Pty Ltd's liability is limited to the purchase price of the material. No liability is accepted for damages, injuries, or results from use.

Claims: Report objections or discrepancies in writing to support@ausamics.com within ninety (90) days of receipt. Failure to report constitutes acceptance.

Storage Conditions: Store at 2°-8°C.

Intended Use: Biotechnology and Molecular Biology

AUSAMICS PTY LTD.

31 Longview CT, Thomastown, VIC 3074, Australia ausamics.com.au support@ausamics.com
Phone: +61412520598